

In the Claims

1. (Original) A method for generating a translation table, the method comprising the steps of:
 - accessing a domain model;
 - accessing a specialized computer language specification;
 - associating elements from the domain model to functions and arguments of the specialized computer language specification; and
 - creating the translation table based on the associations between the domain model and functions and arguments of the specialized computer language.
2. (Original) The method of claim 1 wherein the step of accessing the domain model comprises the step of accessing a set of commands, objects, and attributes utilized for the particular domain.
3. (Original) The method of claim 1 wherein the step of accessing the specialized computer language (SCL) specification comprises the step of accessing a knowledge base comprising possible SCL functions and how SCL functions handle arguments.
4. (Original) The method of claim 1 wherein the step of associating elements from the domain model to functions and arguments of the SCL specification comprises the step of iterating through commands, objects, and attributes for the domain model, and associating each command, object, and attribute with an SCL function and/or argument.
5. (Original) The method of claim 4 further comprising the step of:
 - presenting the associated elements for validation and/or inclusion into the translation table; and
 - renaming domain entities to ensure correspondence with SCL entities.
6. (Original) The method of claim 1 wherein:
 - the step of accessing the domain model comprises the step of accessing a set of commands, objects, and attributes utilized for the particular domain; and
 - the step of accessing the specialized computer language (SCL) specification comprises the step of accessing a knowledge base comprising possible SCL functions and how SCL functions handle arguments.

7. (Original) The method of claim 6 wherein the step of associating elements from the domain model to functions and arguments of the SCL specification comprises the step of iterating through commands, objects, and attributes for the domain model, and associating each command, object, and attribute with an SCL function and/or argument.

8. (Original) The method of claim 7 further comprising the step of:
presenting the associated elements for validation and/or inclusion into the translation table.

9. (Currently Amended) An apparatus comprising:

~~means for accessing a domain model;~~
~~means for accessing a specialized computer language specification;~~
~~means for associating elements from the domain model to functions and arguments of the specialized computer language specification; and~~
~~means for creating the translation table based on the associations between the domain model and functions and arguments of the specialized computer language.~~
a table generator (307) for accessing a domain model, accessing a specialized computer language specification, associating elements from the domain model to functions and arguments of the specialized computer language specification, and creating the translation table based on the associations between the domain model and functions and arguments of the specialized computer language.

10. (Original) The apparatus of claim 9 wherein the domain model comprises a set of commands, objects, and attributes utilized for the particular domain.

11. (Original) The apparatus of claim 9 wherein the specialized computer language (SCL) specification comprises a knowledge base comprising possible SCL functions and how SCL functions handle arguments.

12. (Currently Amended) The apparatus of claim 9 wherein the table generator associates ~~means for associating~~ elements from the domain model to functions and arguments of the SCL specification ~~by comprises means for~~ iterating through commands, objects, and attributes for the domain model, and associating each command, object, and attribute with an SCL function and/or argument.

13. (Original) The apparatus of claim 9 further comprising:

means for presenting the associated elements for validation and/or inclusion into the translation table.

14. (Original) The apparatus of claim 9 wherein:

the domain model comprises a set of commands, objects, and attributes utilized for the particular domain; and

the specialized computer language (SCL) specification comprises a knowledge base comprising possible SCL functions and how SCL functions handle arguments.

15. (Currently Amended) The apparatus of claim 14 wherein the table generator ~~associates means for associating~~ elements from the domain model to functions and arguments of the SCL specification ~~by comprises means for~~ iterating through commands, objects, and attributes for the domain model, and associating each command, object, and attribute with an SCL function and/or argument.

16. (Original) The apparatus of claim 15 further comprising:

means for presenting the associated elements for validation and/or inclusion into the translation table.

17. (Currently Amended) A spoken language dialog system comprising:

a domain model;

a specialized computer language (SCL) specification; and

a table generator (307) accessing the domain model and the SCL specification, and outputting a translation table based on the domain model and the SCL specification.

18. (Original) The spoken language dialog system of claim 17 wherein the domain model comprises a set of commands, objects, and attributes utilized for a particular domain.

19. (Original) The spoken language dialog system of claim 18 wherein the SCL specification comprises a knowledge base comprising possible SCL functions and how SCL functions handle arguments.

20. (Original) The spoken language dialog system of claim 19 wherein the translation table is created by the table generator by associating elements from the domain model to functions and arguments of the SCL specification.